



Request for Sealed Quotations for Goods

*Supply and Delivery of Plumbing Training
Tools for Khorixas VTC*

Procurement Reference No: G/RFQ/NTA-74/2025

Telephone: +264 61 207 8530 Facsimile: +264 61 2078551, e-mail: Procurement@nta.com.na



Letter of Invitation

G/RFQ/NTA-74/2025

30 October 2025

Dear Sir/Madam,

Request for Quotations for Supply and Delivery of Plumbing Training Tools for Khorixas VTC

The NTA invites you to submit your best quote for the items described in detail hereunder. Any resulting contract shall be subject to the terms and conditions referred to in the document.

Queries, if any, should be addressed to Email: Procurement@nta.com.na, tel: 061 207 8530.

Please prepare and submit your quotation in accordance with the instructions given or inform the undersigned if you will not be submitting a quotation.

Yours faithfully,



Richard Ndjahera

SECTION I: INSTRUCTIONS TO BIDDERS

1. Rights of Public Entity

The NTA reserves the right:

- (a) to split the contract as per the lowest evaluated cost per item, or
- (b) to accept or reject any quotation; and
- (c) to cancel the quotation process and reject all quotations at any time prior to contract award.

2. Preparation of Quotations

You are requested to quote for the items mentioned in Section III by completing, signing and returning:

- (a) the Quotation Letter in Section II with its annex for *Bid Securing Declaration*
- (b) the List of Goods and Price Schedule Section III;
- (c) the Specifications and Compliance Sheet in Section V; and
- (d) any other attachment deemed appropriate.

You are advised to carefully read the complete Request for Sealed Quotations document, including the Special Conditions of Contract in Section VII, before preparing your quotation. The standard forms in this document may be retyped for completion but the Bidder is responsible for their accurate reproduction.

3. Validity of Quotations

The Quotation validity period shall be 90 days from the date of submission deadline.

4. Eligibility Criteria

To be eligible to participate in this Quotation exercise, you should:

- (a) have a valid company Registration Certificate; Certificate of Incorporation must be trading in line with goods requested in this bid
- (b) have an original valid good Standing Tax Certificate;
- (c) have an original valid good Standing Social Security Certificate;
- (d) have a valid certified copy of Affirmative Action Compliance Certificate, proof from Employment Equity Commissioner that bidder is not a relevant employer, or exemption issued in terms of Section 42 of the Affirmative Action Act, 1998;
- (e) Submit signed Bid-securing Declaration;
- (f) An undertaking on the part of the Bidder that the salaries and wages payable to its personnel in respect of this proposal are compliant to the relevant laws, Remuneration Order, and Award, where applicable and that it will abide to sub-clause 4.6 of the General conditions of Contract if it is awarded the contract or part thereof and;

5. Bid Security/Bid Securing Declaration

Bidders are required to *subscribe to a Bid Securing Declaration* for this procurement process.

6. Contract Period for Service

The contract shall be once off

7. Sealing and Marking of Quotations

Quotations should be sealed in a single envelope, clearly marked with the Procurement Reference Number, addressed to the Public Entity with the Bidder's name and contact information at the back of the envelope.

8. Submission of Quotations

Quotations should be deposited in the Quotation/Bid Box located at
Reception

NTA Village,

Rand Street, Khomasdal

not later than **18 November 2025, 11:00 a.m.**

Quotations by post or hand delivered should reach the **NTA** by the same date and time at latest. Late quotations will be rejected.

Quotations received by e-mail will not be considered.

9. Opening of Quotations

Quotations will be opened internally by the Public Entity immediately after the closing time referred to in instruction 8 above. A record of the Quotation Opening stating the name of the bidders, the amount quoted, the presence or absence of a Bid Securing Declaration, will be posted on the website of the Public Entity and available to any bidder on request within three working days of the Opening.

10. Evaluation of Quotations

The NTA shall have the right to request for clarifications in writing during evaluation. Offers that are substantially responsive shall be compared on the basis of price or ownership cost, subject to Margin of Preference where applicable, to determine the lowest evaluated quotation.

11. Technical Compliance

Bidders shall submit along with their quotations documents, catalogues and any other literature to substantiate compliance with the required specifications and to qualify deviations if any with respect to Public Entity's requirements.

The Specifications, Performance Requirements and Compliance Sheet details the minimum specifications of the goods/items to be supplied. The specifications have to be met but no credit will be given for exceeding the specifications.

12. Prices and Currency of Payment

Prices shall be fixed in Namibian Dollars.

13. Margin of Preference

13.1. The applicable margins of preference and their application methodology are as follows:

- **Not Applicable**

13.2. Bidders applying for the Margin of Preference shall submit, **upon request**, evidence of:

- **Not Applicable**

14. Award of Contract

The Bidder having submitted the lowest evaluated responsive quotation and qualified to supply the goods/items and related services shall be selected for award of contract. Award of contract shall be by issue of a Purchase Order/Letter of Acceptance in accordance with terms and conditions contained in Section VI: Contract Agreement and General Conditions of Contract.

15. Performance Security

- **Not Applicable**

16. Notification of Award and Debriefing

The Public Entity shall after award of contract promptly inform all unsuccessful bidders in writing of the name and address of the successful bidder and the contract amount and post a notice of award on its website within seven (7) days. Furthermore, the Public Entity shall attend to all requests for debriefing made in writing within seven (7) days of the unsuccessful bidders being informed of the award.

SECTION II: QUOTATION LETTER

(to be completed by Bidders)

*[Complete this form with all the requested details and submit it as the first page of your quotation with the Price list and documents requested above. A signature and authorisation on this form will confirm that the terms and conditions of the RFQ prevail over any attachments. **If your quotation is not authorised, it will be rejected.**]*

Quotation addressed to: Namibia Training Authority	
Procurement Reference Number:	
Subject matter of Procurement:	

We offer to supply the items listed in the attached List of Goods and Price Schedule as per the defined specifications, *except for the qualified deviations [Bidder may delete this phrase in case of no deviation]* and, in accordance with the terms and conditions stated in your Request for Quotations referenced above.

We confirm that we are eligible to participate in this Quotation exercise and meet the eligibility criteria specified in Section 1: Instruction to Bidders.

We undertake to abide ethical conduct during the procurement process and the execution of any resulting contract.

We have read and understood the content of the *Bid Securing Declaration (BSD)* attached hereto and subscribe fully to the terms and conditions contained therein. We further understand that this subscription could lead to *[forfeiture of the security amount / disqualification on the grounds mentioned in the BD]*.

The validity period of the Quotation is 180 days from the date of the bid submission deadline.

We confirm that the prices quoted in the List of Goods and Price Schedule are fixed and firm and will not be subject to revision or variation, if we are awarded the contract **prior to the expiry** date of the quotation validity.

The delivery period offered from the date of issue of Purchaser Order/ Letter of Acceptance is as shown in the List of Goods items and Price Schedule.

Quotation Authorised by:

Name of Bidder		Company's Address and seal	
Contact Person			
Name of Person Authorising the Quotation:		Position:	Signature:
Date		Phone No./Fax	

Appendix to Quotation Letter

BID SECURING DECLARATION

(Section 45 of Act)

(Regulation 37(1)(b) and 37(5))

Date.....[Day|month|year]

Procurement Ref No.:

To:.....[insert complete name of Public Entity and address]

I/We* understand that in terms of section 45 of the Act a public entity must include in the bidding document the requirement for a declaration as an alternative form of bid security.

I/We* accept that under section 45 of the Act, I/we* may be suspended or disqualified in the event of

- (a) **a modification or withdrawal of a bid after the deadline for submission of bids during the period of validity;**
- (b) **refusal by a bidder to accept a correction of an error appearing on the face of a bid;**
- (c) **failure to sign a procurement contract in accordance with the terms and conditions set forth in the bidding document, should I/We* be successful bidder; or**
- (d) **failure to provide security for the performance of the procurement contract if required to do so by the bidding document.**

I/We* understand this bid securing declaration ceases to be valid if I am/We are* not the successful Bidder

Signed:
[insert signature of person whose name and capacity are shown]

Capacity of:
[indicate legal capacity of person(s) signing the Bid Securing Declaration]

Name:
[insert complete name of person signing the Bid Securing Declaration]

Duly authorized to sign the bid for and on behalf of: [insert complete name of Bidder]

Dated on _____ day of _____, _____
[insert date of signing]

Corporate Seal (where appropriate)

[Note*: In case of a joint venture, the bid securing declaration must be in the name of all partners to the joint venture that submits the bid.]



Republic Of Namibia

Ministry of Labour, Industrial Relations and Employment Creation

Witten undertaking in terms of section 138 of the Labour Act, 2015 and section 50(2)(D) of the Public Procurement Act, 2015

1. EMPLOYERS DETAILS

Company Trade Name:.....

Registration Number :.....

Vat Number:

Industry/Sector:

Place of Business:.....

Physical Address:.....

Tell No.:.....

Fax No.:.....

Email Address:.....

Postal Address:.....

Full name of Owner/Accounting Officer:.....

.....

Email Address:.....

2. PROCUREMENT DETAILS

Procurement Reference No.:

Procurement Description:

.....

.....

Anticipated Contract Duration:

Location where work will be done, good/services will be delivered:

.....

3. UNDERTAKING

I.....[insert full name], owner/representative

of.....[insert full name of company]

hereby undertake in writing that my company will at all relevant times comply fully with the relevant provisions of the Labour Act and the Terms and Conditions of Collective Agreements as applicable.

I am fully aware that failure to abide to such shall lead to the action as stipulated in section 138 of the labour Act, 2007, which include but not limited to the cancellation of the contract/licence/grant/permit or concession.

Signature:

Date:

Seal:.....

Please take note:

1. *A labour inspector may conduct unannounced inspections to assess the level of compliance*
2. *This undertaking must be displayed at the workplace where it will be readily accessible and visible by the employees rendering service(s) in relations to the goods and services being procured under this contract.*

Quotation For: *Supply and Delivery of Plumbing Training Tools for Khorixas VTC*

Procurement Ref No: G/RFQ/NTA-74/2025

INSTRUCTIONS TO THE PUBLIC ENTITY				INSTRUCTIONS TO BIDDERS					
At time of preparation of the RFQ, Columns A to D shall be filled in by the Public Entity. [To be filled by the Public Entity]				<u>Bidders shall fill-in columns E - I and fill the total</u> E= mark with a *if an equivalent is quoted F= Rate per unit G=Total price for one item (C x F) • If an equivalent is quoted, please attach to your quote appropriate technical information & specification • Bidders shall fill in and sign the bottom section of this page					
A	B	C	D	E	F	G	H	I	
Item no.	Description of Goods Specification	Quantity required	Unit of measures	*	Price per unit NAD ¹	Total price without VAT NAD	VAT: NAD	Delivery weeks) (days/month	Country of Origin
1.	Leather aprons	8	Each						
2.	leather spats	8	Each						
3.	Welding helmet for arc welding 3M Speedglas 9100 Flip-Up Welding Helmet, Auto-Darkening Lens, Adjustable Headband, 44 x 93mm Lens	10	Each						
4.	oxyacetylene welding goggles	1	Each						
5.	Vitamax welding electrodes 2,5mm, (5KG box) 2,5mm (5kg box)	10	Each						
6.	Vitamax welding electrodes 3,15mm (5KG Box) 3,15mm (5kg)	10	Each						
7.	welding magnets (6)	1	Each						

8.	Filler rods ,2mm 1KG box 2mm 1kg box	6	Each						
9.	Filler rods ,3mm 1KG box 3mm 1kg box	6	Each						
10.	Complete set of water meters (ZENNER) Ø20mm Ø20mm	6	Each						
11.	Manhole frames with covers:600 x 450x 100 mm,25kg: With a clear opening of 600 x 450 mm and 220 mm walls	10	Each						
12.	Galvanised Sheet metals 500x500x0,5mm	26	Each						
13.	Mild Steel PLATE Metal 500x500x3mm	10	Each						
14.	Mild Steel PLATE METAL 500x500x5mm	10	Each						
15.	Sal-ammoniac stone	10	Each						
16.	Hydrauric acid 5 Litres	2	Each						
17.	steel brushers	26	Each						
18.	Mild Steel PLATE METAL 500x500x1.6mm	10	Each						
19.	Extension cable 30M	1	Each						

20.	Super bricks 220mmx110mmx100 (7mpa)	50	Each						
21.	Building lime 20kg	10	Each						
22.	Mains Ferrules 1x20mm taper male iron (inlet and female outlet)	10	Each						
23.	Stopcocks Ø20mm	6	Each						
24.	stainless hose Climps Ø 20-32mm	6	Each						
25.	Angle valves Ø15mm	4	Each						
26.	Coupling for HDPE pipe to galvanized pipe Ø 25mm x 3/4" Ø 25mm x 3/4"	8	Each						
27.	Compression fittings tee reducer Ø22mm x 22mm x 15mm	24	Each						
28.	Compression equal tee Ø22mm x 22 mm x 22 mm	32	Each						
29.	Compression elbow 26 Ø22mm	26	Each						
30.	HDPE pipe pipe Ø25mm class 10 ,100M	2	Each						
31.	Galvanized elbow 90° Ø20 mm	104	Each						

32.	Holder bats copper Ø22 mm	80	Each						
33.	Holder bats copper Ø15 mm	180	Each						
34.	O/H shower arms Ø15 mm	8	Each						
35.	Shower rose Ø15 mm	8	Each						
36.	Capillary cross over Ø15 mm	18	Each						
37.	Tee compression Ø15 mm	78	Each						
38.	Elbow 90° compression Ø22 mm	26	Each						
39.	Elbow 90° compression Ø15 mm	140	Each						
40.	Under wall stopcock Ø15mm	20	Each						
41.	Compression Straight coupler Ø15mm to male iron ½”	40	Each						
42.	Elbow 90 ° to female iron Ø15mm ½”	40	Each						
43.	Male adaptor Ø25mm x ¾”	32	Each						

44.	110mm diameter class 16 pressure pipe 6M BLUE COLOUR FOR CLEAN WATER)	8	Each						
45.	110mm diameter class 16 uPVC long bend 16 uPVC long bend	6	Each						
46.	Cast iron diameter Tee piece 110mm diameter Tee	6	Each						
47.	Cast iron flanged hydrant tee 110mm x 75mm flanged hydrant tee	6	Each						
48.	uPVC diameter flange adaptors uPVC 110mm x 20mm	6	Each						
49.	Geysers 50L/100L	4	Each						
50.	Pressure control valve valve Ø 20mm x 400 /600kpa	3	Each						
51.	Safety valve Ø 20mm	3	Each						
52.	Tee piece compression Ø 22mm	24	Each						
53.	Tee reducer compression Ø22 x 22 x 15 mm	8	Each						
54.	Tee reducer compression Ø22 x 15x 22 mm	16	Each						
55.	Fixations bolts (packs) Ø14 mmx100 mm	2	Each						

56.	Fischer plugs (packs Ø14	2	Each						
57.	Female straight couplers compression Ø 22mm x 22mm	24	Each						
58.	Vacuum breakers compression Ø 22mm	12	Each						
59.	Female elbow Ø 20mm x 22mm	12	Each						
60.	Male couplers Ø 20mm x 22mm	24	Each						
61.	Drain cock Ø 20mm	3	Each						
62.	Mixer tap Ø 15mm	5	Each						
63.	Wall plate Female elbow Compression Ø 15mm	24	Each						
64.	Concrete screws Ø 4mm	64	Each						
65.	LP Gas Bottle 48kg	2	Each						
66.	Compression Tee Pieces Ø 15mm	12	Each						
67.	Compression Elbows Ø 15mm	48	Each						

68.	Compression Stopcock Ø15mm	48	Each						
69.	LP Gas Regulator	2	Each						
70.	Orange High Pressure Gas Pipe,Standard 1metre	1	Each						
71.	Gas Geyser,Standard	2	Each						
72.	Gas Stove,(any available size)	2	Each						
73.	uPVC Y-junction Ø110 mm	16	Each						
74.	uPVC single/double socket Ø110 mm	12	Each						
75.	uPVC gully P-trap Ø110 mm	8	Each						
76.	PVC universal overflow gully head and grate Ø110 mm	4	Each						
77.	PVC rodding eye Ø110 mm	8	Each						
78.	uPVC plain bend Ø110 mm 45°	10	Each						
79.	uPVC Vent valve Ø 50	6	Each						

80.	uPVC Inspection Socket Ø110mm	8	Each						
81.	H- Frame units, metal scaffolding (standard)	4	Each						
82.	Braces	4	Each						
83.	Scaffolding planks	4	Each						
84.	Sole plates	4	Each						
85.	Base jacks	4	Each						
86.	Extension pieces	4	Each						
87.	Extension Ladder (Aluminium),15 rungs extended 15 rungs extended height 10.51M that can reach to 11,31M	1	Each						
88.	Galvanized Mild Steel pipe Ø25mm	8	Each						
89.	Galvanized Mild Steel reducing bush Ø25mmxØ20mm	8	Each						
90.	Galvanized Mild Steel holder bats Ø25mm	16	Each						
91.	Galvanized Mild Steel holder bats Ø20mm	32	Each						

92.	Galvanized Mild Steel elbow 90° Ø25mm	16	Each						
93.	Galvanized Mild Steel elbow 90° Ø20mm	40	Each						
94.	Galvanized Mild Steel Equal Tee- Piece Ø25mm	16	Each						
95.	Galvanized Mild Steel barrel Ø20mm XØ60mm	8	Each						
96.	HDPE male threaded coupler Ø25 x ¾ mm	48	Each						
97.	Gate valve Ø25 Ø25	16	Each						
98.	Galvanized Mild Steel Union Ø25 Ø25	40	Each						
99.	Pendent Sprinkler head Ø20mm Ø20mm	8	Each						
100.	Coach screws and fisher plugs Ø10 x75 mm	32	Each						
101.	Horizontal shutter board sheeting 2000 m x 200 mm x 18 mm	16	Each						
102.	Poling board 600 m x 200 mm x 18 mm	8	Each						
103.	Pipe HDPE Class 10 Ø50mm	10	Each						

104.	Pipe HDPE Class 10 Ø25mm	10	Each						
105.	Pipe HDPE Class 3 Ø20mm	8	Each						
106.	Gulf fully assembled Ø0.8mm	10	Each						
107.	Elbow 90° Nylon Insert Ø20mm	12	Each						
108.	Equal Tee Nylon Insert Ø20mm	16	Each						
109.	Nylon Insert adaptor Ø25mm-Ø20mm	16	Each						
110.	Ball Valve Ø25mm	8	Each						
111.	HDPE Male Adaptor Ø25mm	12	Each						
112.	HDPE Female Adaptor Ø25mm-Ø20mm	16	Each						
113.	HDPE Female Elbow 90° Ø50mm	8	Each						
114.	End Cap Nylon Insert Ø20mm	30	Each						
115.	Hose Clamp Stainless Steel Ø14-27mm	20	Each						

116.	Pressure Regulating Valve with a Pressure Gauge Ø25mm	8	Each						
117.	HDPE Reducer Coupler Ø50mm-Ø25mm	4	Each						
118.	HDPE Male Adaptor Ø50mm	8	Each						
119.	HDPE Elbow 90° equal Ø50mm	12	Each						
120.	Spring loaded Non-return Valve Brass Ø50mm	12	Each						
121.	T- Junction Plain Ø110mm	6	Each						
TOOLS AND EQUIPMENT PLUMBING 2									
122.	Copper pipe cutters with a reamer, original not a minicutter.	26	Each						
123.	Shatter boards (2440X1220X18MM)	6	Each						
124.	Purlins 6mx76x50MM	26	Each						
125.	Screws 4.0x60mm (1 boxes)	500	Each						
126.	Adjustable shifting spanner 600MM (12’')	1	Each						

127.	Internal corner tool	26	Each						
128.	External corner tool	26	Each						
129.	Engraver with hard grip	2	Each						
130.	Spades	6	Each						
131.	shovels	6	Each						
132.	Rubber wheelbarrows	10	Each						
133.	PIPE WRENCH 18’’	2	Each						
134.	Solid brass Padlocks Federal F series 25mm	26	Each						
135.	Metallic measuring tape (5M)	26	Each						
136.	Oxyacetylene equipment (full sets :450 (Acetylene Capacity (ft3) , oxygen 47L)	4	Each						
137.	Trolleys for oxyacetylenes	4	Each						
138.	Straight snips	26	Each						

AIRCONDITIONING AND REFRIGERATION									
139.	Small condensing unit and Evaporative units for Cold rooms/ Freezer rooms only (no panels) (Hermetic 3/4HP-1Phase (220V-240V,50HZ) Compressor, R134A, 2xFanmotors (220V/AC/50HZ)	5	Each						
140.	Nitrogen cylinder Regulator (5/8'' (Inches),10L)	1	Each						
141.	Defrost timer 16A,250V (Legrad412812mricron Rex T31)	10	Each						
142.	On – delay timer RTW-ET weg	10	Each						
143.	Contactactor 220V-240V/AC coil, 3-phase	10	Each						
144.	Sight glass Liquid line with service flare fitted type	10	Each						
145.	Thermostat Temp with sensor PTC 1000 1.5m(ERC211 Danfoss)	10	Each						
146.	Circuit breaker 25A, 20A,10A(220V-240V)	10	Each						
147.	Square tubing 40mmx40mmx6mm	10	Each						
148.	Component Holder Rails metal (DIN rails terminals) Standard (2m long)	5	Each						

149.	Hard boards 2440mm x 1220mm x 18mm (Super Wood)	5	Each						
150.	Waterproof Isolator switch 220V-2240V (Sigle phase)	6	Each						
151.	Flare nuts 1/2", 3/8", 1/4"X 30 each	30	Each						
152.	Power supply cable 1.5mmx100M(3Core)	5	Each						
		Sub Total							
		VAT @ 15%							
		Grand Total							

NAME:	POSITION:	SIGNATURE	DATE
NAME OF BIDDER:	ADDRESS:		

1. If Price quoted is subject to change in rate of exchange at the time of delivery of goods provide details hereunder: Currency : Exchange Rate:

If no base rate of exchange is given, the price shall be treated as firm in Namibian Dollars for all intent and purpose. Key notes: **NA**=NOT APPLICABLE, **NQ**=NO QUOTE

SECTION IV: SPECIFICATIONS AND PERFORMANCE REQUIREMENTS

The Scope of Services includes the Supply and Delivery of Plumbing Training Tools for Khorixas VTC.

The Plumbing Training Tools required are technically specified in Section V. Inspections, Examinations and Delivery should be conducted at the Namibia Training Authority, Khorixas Vocational Training Centre, Namibia

Item No	Technical Specification Required	Compliance of Specification Offered	Details of Non-Compliance/ Deviation (if applicable)
<i>A*</i>	<i>B*</i>	<i>C</i>	<i>D</i>
1.	Leather aprons		
2.	leather spats		
3.	Welding helmet for arc welding 3M Speedglas 9100 Flip-Up Welding Helmet, Auto-Darkening Lens, Adjustable Headband, 44 x 93mm Lens		
4.	oxyacetylene welding goggles		
5.	Vitamax welding electrodes 2,5mm, (5KG box) 2,5mm (5kg box)		
6.	Vitamax welding electrodes 3,15mm (5KG Box) 3,15mm (5kg)		
7.	welding magnets (6)		
8.	Filler rods ,2mm 1KG box 2mm 1kg box		
9.	Filler rods ,3mm 1KG box 3mm 1kg box		
10.	Complete set of water meters (ZENNER) Ø20mm Ø20mm		
11.	Manhole frames with covers:600 x 450x 100 mm,25kg: With a clear opening of 600 x 450 mm and 220 mm walls		
12.	Galvanised Sheet metals 500x500x0,5mm		

13.	Mild Steel PLATE Metal 500x500x3mm		
14.	Mild Steel PLATE METAL 500x500x5mm		
15.	Sal-ammoniac stone		
16.	Hydrauric acid 5 Litres		
17.	steel brushers		
18.	Mild Steel PLATE METAL 500x500x1.6mm		
19.	Extension cable 30M		
20.	Super bricks 220mmx110mmx100 (7mpa)		
21.	Building lime 20kg		
22.	Mains Ferrules 1x20mm taper male iron (inlet and female outlet)		
23.	Stopcocks Ø20mm		
24.	stainless hose Climps Ø 20-32mm		
25.	Angle valves Ø15mm		
26.	Coupling for HDPE pipe to galvanized pipe Ø 25mm x 3/4" Ø 25mm x 3/4"		
27.	Compression fittings tee reducer Ø22mm x 22mm x 15mm		
28.	Compression equal tee Ø22mm x 22 mm x 22 mm		
29.	Compression elbow 26 Ø22mm		
30.	HDPE pipe pipe Ø25mm class 10 ,100M		
31.	Galvanized elbow 90° Ø20 mm		
32.	Holder bats copper Ø22 mm		
33.	Holder bats copper Ø15 mm		
34.	O/H shower arms Ø15 mm		

35.	Shower rose Ø15 mm		
36.	Capillary cross over Ø15 mm		
37.	Tee compression Ø15 mm		
38.	Elbow 90° compression Ø22 mm		
39.	Elbow 90° compression Ø15 mm		
40.	Under wall stopcock Ø15mm		
41.	Compression Straight coupler Ø15mm to male iron ½"		
42.	Elbow 90 ° to female iron Ø15mm ½"		
43.	Male adaptor Ø25mm x ¾"		
44.	110mm diameter class 16 pressure pipe 6M BLUE COLOUR FOR CLEAN WATER)		
45.	110mm diameter class 16 uPVC long bend 16 uPVC long bend		
46.	Cast iron diameter Tee piece 110mm diameter Tee		
47.	Cast iron flanged hydrant tee 110mm x 75mm flanged hydrant tee		
48.	uPVC diameter flange adaptors uPVC 110mm x 20mm		
49.	Geysers 50L/100L		
50.	Pressure control valve valve Ø 20mm x 400 /600kpa		
51.	Safety valve Ø 20mm		
52.	Tee piece compression Ø 22mm		
53.	Tee reducer compression Ø22 x 22 x 15 mm		
54.	Tee reducer compression Ø22 x 15x 22 mm		
55.	Fixations bolts (packs) Ø14 mmx100 mm		
56.	Fischer plugs (packs Ø14		

57.	Female straight couplers compression Ø 22mm x 22mm		
58.	Vacuum breakers compression Ø 22mm		
59.	Female elbow Ø 20mm x 22mm		
60.	Male couplers Ø 20mm x 22mm		
61.	Drain cock Ø 20mm		
62.	Mixer tap Ø 15mm		
63.	Wall plate Female elbow Compression Ø 15mm		
64.	Concrete screws Ø 4mm		
65.	LP Gas Bottle 48kg		
66.	Compression Tee Pieces Ø 15mm		
67.	Compression Elbows Ø 15mm		
68.	Compression Stopcock Ø15mm		
69.	LP Gas Regulator		
70.	Orange High Pressure Gas Pipe,Standard 1metre		
71.	Gas Geyser,Standard		
72.	Gas Stove,(any available size)		
73.	uPVC Y-junction Ø110 mm		
74.	uPVC single/double socket Ø110 mm		
75.	uPVC gully P-trap Ø110 mm		
76.	PVC universal overflow gully head and grate Ø110 mm		
77.	PVC rodding eye Ø110 mm		
78.	uPVC plain bend Ø110 mm 45°		

79.	uPVC Vent valve Ø 50		
80.	uPVC Inspection Socket Ø110mm		
81.	H- Frame units, metal scaffolding (standard)		
82.	Braces		
83.	Scaffolding planks		
84.	Sole plates		
85.	Base jacks		
86.	Extension pieces		
87.	Extension Ladder (Aluminium),15 rungs extended 15 rungs extended height 10.51M that can reach to 11,31M		
88.	Galvanized Mild Steel pipe Ø25mm		
89.	Galvanized Mild Steel reducing bush Ø25mmxØ20mm		
90.	Galvanized Mild Steel holder bats Ø25mm		
91.	Galvanized Mild Steel holder bats Ø20mm		
92.	Galvanized Mild Steel elbow 90° Ø25mm		
93.	Galvanized Mild Steel elbow 90° Ø20mm		
94.	Galvanized Mild Steel Equal Tee- Piece Ø25mm		
95.	Galvanized Mild Steel barrel Ø20mm XØ60mm		
96.	HDPE male threaded coupler Ø25 x ¾ mm		
97.	Gate valve Ø25 Ø25		
98.	Galvanized Mild Steel Union Ø25 Ø25		
99.	Pendent Sprinkler head Ø20mm Ø20mm		

100.	Coach screws and fisher plugs Ø10 x75 mm		
101.	Horizontal shutter board sheeting 2000 m x 200 mm x 18 mm		
102.	Poling board 600 m x 200 mm x 18 mm		
103.	Pipe HDPE Class 10 Ø50mm		
104.	Pipe HDPE Class 10 Ø25mm		
105.	Pipe HDPE Class 3 Ø20mm		
106.	Gulf fully assembled Ø0.8mm		
107.	Elbow 90° Nylon Insert Ø20mm		
108.	Equal Tee Nylon Insert Ø20mm		
109.	Nylon Insert adaptor Ø25mm-Ø20mm		
110.	Ball Valve Ø25mm		
111.	HDPE Male Adaptor Ø25mm		
112.	HDPE Female Adaptor Ø25mm-Ø20mm		
113.	HDPE Female Elbow 90° Ø50mm		
114.	End Cap Nylon Insert Ø20mm		
115.	Hose Clamp Stainless Steel Ø14-27mm		
116.	Pressure Regulating Valve with a Pressure Gauge Ø25mm		
117.	HDPE Reducer Coupler Ø50mm-Ø25mm		
118.	HDPE Male Adaptor Ø50mm		
119.	HDPE Elbow 90° equal Ø50mm		
120.	Spring loaded Non-return Valve Brass Ø50mm		
121.	T- Junction Plain Ø110mm		

TOOLS AND EQUIPMENT PLUMBING 2			
122.	Copper pipe cutters with a reamer, original not a minicutter.		
123.	Shatter boards (2440X1220X18MM)		
124.	Purlins 6mx76x50MM		
125.	Screws 4.0x60mm (1 boxes)		
126.	Adjustable shifting spanner 600MM (12’')		
127.	Internal corner tool		
128.	External corner tool		
129.	Engraver with hard grip		
130.	Spades		
131.	shovels		
132.	Rubber wheelbarrows		
133.	PIPE WRENCH 18’'		
134.	Solid brass Padlocks Federal F series		
135.	25mm		
136.	Metallic measuring tape (5M)		
137.	Oxyacetylene equipment (full sets :450		
138.	(Acetylene Capacity (ft3) , oxygen 47L)		
AIRCONDITIONING AND REFRIGERATION			
139.	Small condensing unit and Evaporative units for Cold rooms/ Freezer rooms only (no panels) (Hermetic 3/4HP-1Phase (220V-240V,50HZ) Compressor, R134A, 2xFanmotors (220V/AC/50HZ)		

140.	Nitrogen cylinder Regulator (5/8'' (Inches),10L)		
141.	Defrost timer 16A,250V (Legrad412812micron Rex T31)		
142.	On – delay timer RTW-ET weg		
143.	Contactore 220V-240V/AC coil, 3-phase		
144.	Sight glass Liquid line with service flare fitted type		
145.	Thermostat Temp with sensor PTC 1000 1.5m(ERC211 Danfoss)		
146.	Circuit breaker 25A, 20A,10A(220V-240V)		
147.	Square tubing 40mmx40mmx6mm		
148.	Component Holder Rails metal (DIN rails terminals) Standard (2m long)		
149.	Hard boards 2440mm x1220mm x 18mm (Super Wood)		
150.	Waterproof Isolator switch 220V-2240V (Sigle phase)		
151.	Flare nuts 1/2'', 3/8'', 1/4''X 30 each		
152.	Power supply cable 1.5mmx100M(3Core)		
	Lead Time (7 days)		

SECTION V: SPECIFICATIONS AND COMPLIANCE SHEET

Procurement Reference Number: G/RFQ/NTA-74/2025

Specifications and Compliance Sheet Authorized By:

Name:		Signature:	
Position:		Date:	
Authorised for and on behalf of:		Company	

SECTION VI: GENERAL CONDITIONS OF CONTRACT AND CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods - **Ref. G/RFQ/NTA-74/2025** on the website of the NTA www.nta.com.na except where modified by the Special Conditions below.

SECTION VI: CONTRACT AGREEMENT

Any resulting contract shall be placed by means of a Purchase Order/Letter of Acceptance and shall be subject to the General Conditions of Contract (GCC) for the Procurement of Goods except where modified by the Special Conditions below

SECTION VIII: SPECIAL CONDITIONS OF CONTRACT

Procurement Reference Number: G/RFQ/NTA-74/2025 The clause numbers given in the first column correspond to the relevant clause number of the GCC. *[This section is to be customised by the Public Entity to suit the requirements of the specific procurement].*

Subject and GCC clause reference	Special Conditions
Purchaser GCC 1.1(h)	The purchaser is: Namibia Training Authority
Site GCC 1.1(m)	The final destination for delivery of the Goods is: NTA Village, Rand Street, Khomasdal
Incoterms Edition GCC 4.2(b)	Incoterms shall be governed by the rules prescribed in Incoterms 2010. (DAP)
Notices GCC 8.1	Any notice shall be sent to the following addresses: For the NTA, the address and the contact name shall be: Richard Ndjahera , rndjahera@nta.com.na For the Supplier, the address and contact name shall be: _____
Disputes GCC 10.2	The rules of procedures for arbitration proceedings pursuant to GCC 10.2 shall be as follows: _____
Delivery and Documents GCC 13.1	The Goods are to be delivered within 7 days from the date of Purchase Order or Letter of Acceptance. The documents to be furnished by the Supplier are: (a) signed delivery note; (b) Invoice
Price Adjustment GCC 15.1	The price charge for the Goods supplied and the related Services performed shall not be adjustable.
Terms of Payment GCC 16.1	The structure of payments shall be: full payment following delivery of the Supplies and submission of an invoice and the documents listed in clause 13.1

Subject and GCC clause reference	Special Conditions
Terms of Payment GCC 16.3	Payments shall be made not later than thirty days after submission of an invoice and its certification by the Purchaser.
Terms of Payment GCC 16.4 (a)	The price shall not be adjustable to the fluctuation in the rate of exchange.
Payment Period GCC 16.5	The method and conditions of payments to be made to the Supplier under this Contract shall be as follows: On Acceptance: The Contract Price of goods received shall be paid no later than thirty (30) days of receipt of the Goods upon submission of an invoice (showing Purchaser's name; the Procurement Reference number, description of payment and total amount, signed in original, stamped or sealed with the company stamp/seal) supported by the Acceptance Certificate issued by the Purchaser. An interest rate of ----2-----% is payable to the supplier by the purchaser for each day payment is delayed until payment has been made in full.
Transportation GCC 25	The Goods shall be delivered: NTA Village, Rand Street, Khomasdal
Inspection and Test GCC 26.1	The inspection and tests shall be: <i>General Inspection</i>
Location of Inspection and Tests GCC 26.2	NTA Village, Rand Street, Khomasdal
Liquidated Damages GCC 27.1	Liquidated damages for the whole contract are 0.05% per day. The maximum amount of liquidated damages for the whole contract is 4% of the final contract price.

SCHEDULE 3**QUOTATION CHECKLIST SCHEDULE****Procurement Reference No.: G/RFQ/NTA-74/2025**

Description	Attached	Not Attached
Quotation Letter		
List of Goods and Price Schedule		
Specification and Compliance Sheet		
Bid Securing Declaration		
Evidences for conformity of Goods		

Disclaimer: *The list defined above is meant to assist the Bidder in submitting the relevant documents and shall not be a ground for the bidder to justify its non-submission of major documents for its quotation to be responsive. The onus remains on the Bidder to ascertain that it has submitted all the documents that have been requested and are needed for its submission to be complete and responsive*